



Professional Quality Greenhouse Sprayers & Applicators

Siebring Manufacturing Inc. was founded in 1910 by Claude Siebring.

Siebring Manufacturing is very versatile in its manufacturing process, and is able to adapt the products to accommodate the current needs of the customer.



We use quality control measures throughout the entire production process. Products begin with a well planned design, are produced with great attention to detail and are package securely for shipping to your location.

What sets us apart from the other manufacturers?

- A high priority on quality equipment
- A “no hassle” warranty
- Help is readily available



To order call 888-475-3317

Phone: (712) 475-3317 ● Fax: (712) 475-3490
E-mail sales@siebring.com ● www.siebringmfg.com



Standard Features

- 750 PSI of pressure
- 1.5 GPM flow
- CAT pump
- Direct drive
- 25' electrical cord
- 10" no-flat tires
- 25 gallon poly tank
- Hose Reel
- 100' x 1/4" wire braid hose

Design Features

- Bottom tank drain
- High pressure gun
- 18" wand included
- Sump in the tank for max usage
- Includes a mist nozzle assembly
- Constant agitation suspends wettable powders

Options

- Model KS750
 - 1 HP motor
 - 120V operation
- Model KS750G
 - 4 HP gas engine
- Hose reels
- Additional hoses available
- Custom hoses up to 150'

Warranty

- 1 year warranty on all parts for Kruser, Fox & Mist'r Drench
- No warranty against frozen parts

Standard Features

- 800 PSI of pressure
- 100' of hose standard
- 200' reel capacity 3/8" hose
- 35 gallon complete drain tank
- Quick adjust pressure control
- Fluid filled gauge
- Two guns for misting or drenching
- Easy reach gun storage rack
- 10" no-flat tires
- Bypass pump protection
- CAT pump with 3 ceramic plungers
- Stainless steel quick coupled fittings
- Reliable 4 HP Honda engines or 1.5 HP 120V electric motor



Design Features

- Fits 22" aisle
- Highly maneuverable
- Auto steer front wheels
- Chemical saver tank shutoff valve
- "High Action" recirculating tank agitation
- Tapered bottom tank for drainability
- 1/2" additional drain provided

Standard Accessories

- Two guns for drench or spray
- One drenching water breaker
- Two 18" and one 12" wand
- Three piece nozzle for high or low misting
- One hook extension for hanging baskets
- Back flush fitting for easy cleaning
- 0 degree to 15 degree pressure nozzles



Standard Features

- 800 PSI of pressure
- 100' of wire braid hose standard
- Constant agitation for wettable powders
- Two guns, quick coupled
- Versatile power supply – gas or electric
- Towing tongue

Options

- Hose reel
- Skid mount
- Electric rewind hose reel
- Adjustable nozzle
- Adjustable misting nozzle
- 25' – 300' custom hose lengths
- 55 gallon vertical tank
- 60, 100, 200 gallon horizontal tanks

Design Features

- One drenching water breaker
- Two 18" and one 12" wand
- One hook extension for hanging baskets
- Balloon tires for easy roll on gravel or concrete
- Quick connect for draining or washing polyethylene tank
- Ball bearing mounted hose reel for easy playout and rewind



MD300-5

- 300 Gallon Tank
- 25-2500 PSI
- 5 GPM
- 13 HP Honda
- Street Legal trailer
- ST205/75R15" Tires
- 7-pin wiring harness
- 2 5/16" Ball Hitch

MIST'R DRENCH SKID MOUNT

- 800 PSI @ 3 GPM
- 60 gallon tank
- 4 HP Honda Engine
- John Deere Gator (not included)



MIST'R DRENCH TRUCK MOUNT

- Up to 2500 PSI @ 10 GPM
- 500 gallon tank (pictured)
- 4 – 13 HP Honda Engines
- Custom skid sizes available



To order call **888-475-3317**

SIEBRING

MFG. INC.



ADJUSTABLE MISTING



LOW PRESSURE MISTING



HIGH PRESSURE WASHING



MISTING



DRENCH METERING

Pictures taken at Knobloch Greenhouse in Alvord, Iowa

MODEL	TANK CAPACITY	PRESSURE (PSI)	FLOW (GPM)	MOTOR / ENGINE	PUMP	DRIVE	VOLT	HOSE	TIRES	SHIPPING WEIGHT
KS750	25 gal.	750	1.5	1.0 HP	CAT	Direct	120V	100' X 1/4"	10" no-flat	210 lbs.
KS750G	25 gal.	750	1.5	4 HP Gas	CAT	Direct	N/A	100' X 1/4"	10" no-flat	210 lbs.
FOX-EL	35 gal.	800	3.0	1.5 HP	CAT	Direct	120V	100' X 3/8"	10" no-flat	320 lbs.
FOX-GAS	35 gal.	800	3.0	4 HP Gas	CAT	Direct	N/A	100' X 3/8"	10" no-flat	320 lbs.
MD83	55 gal.	800	3.0	1.5 HP	CAT	Direct	120V	100' X 3/8"	10" no-flat	450 lbs.
MD83G	55 gal.	800	3.0	4 HP Gas	CAT	Direct	N/A	100' X 3/8"	10" no-flat	450 lbs.
MD83BW	60 gal.	800	3.0	1.5 HP	CAT	Direct	120V	100' X 3/8"	16" no-flat	460 lbs.
MD83BWG	60 gal.	800	3.0	4 HP Gas	CAT	Direct	N/A	100' X 3/8"	16" no-flat	480 lbs.
MD100	100 gal.	800	3.0	1.5 HP	CAT	Direct	120V	100' X 3/8"	16X6.5-8 (air)	600 lbs.
MD100G	100 gal.	800	3.0	4 HP Gas	CAT	Direct	N/A	100' X 3/8"	16X6.5-8 (air)	620 lbs.
MD200	200 gal.	800	3.0	1.5 HP	CAT	Direct	120V	100' X 3/8"	18X8.5-8 (air)	780 lbs.
MD200G	200 gal.	800	3.0	4 HP Gas	CAT	Direct	N/A	100' X 3/8"	18X8.5-8 (air)	780 lbs.

Note: Custom designs, pressure/flow combinations, hose lengths, electric reels & reel capacities available - call for details

Other quality products from Siebring:

**Greenhouse Carts
Oil and Gas Heaters
Waste Oil Heaters**

**Soil Pasteurization Systems
High Pressure Washers
Custom Manufactured Products**

To order call 888-475-3317

Phone: (712) 475-3317 ● Fax: (712) 475-3490
E-mail sales@siebring.com ● www.siebringmfg.com